

Application No. 10/001,741



AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings of claims in the application:



LISTING OF CLAIMS:

Application No. 10/001,741


1. (Original) An ink composition which comprises water, a colorant, and a lightfastness agent of one of the formulae



Application No. 10/001,741



or








Application No. 10/001,741

wherein $R_1, R_2, R_3, R_4, R_5, R_6, R_7, R_8, R_9$, and R_{10} each, independently of the others, is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group, R_{11} and R_{12} each, independently of the others, is an alkylene group, an arylene group, an arylalkylene group, or an alkylarylene group, G is a cationic moiety, A is an anionic moiety, n is an integer representing the number of repeat $-\text{OSi}(R_7)(R_8)-$ monomer units, a is an integer representing the number of repeat $-\text{OSi}(R_{10})(R_{12}\text{-lightfastness moiety})-$ monomer units, and c is an integer representing the number of repeat $-\text{OSi}(R_9)(R_{11}\text{-hydrophilic moiety})-$ monomer units.






2. (Original) An ink according to claim 1 wherein the lightfastness agent is of Formula I and the lightfastness moiety is a 2-(3-(2H-benzotriazol-2-yl)-4-hydroxyphenyl) group, a hydroxybenzophenone group, a hydroxybenzoic acid group, an alkoxybenzoic acid group, an ester of a substituted benzoic acid, a (hydroxyphenyl)-1,3,5-triazine group, a phenylbenzimidazole sulfonic acid group, or a reducing sugar group.

Application No. 10/001,741

3. (Original) An ink according to claim 1 wherein the lightfastness agent is of Formula I and the lightfastness moiety is of one of the formulae




Application No. 10/001,741







wherein R is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group.


Application No. 10/001,741




wherein R_1 and R_2 each, independently of the other, is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group,



Application No. 10/001,741




or




Application No. 10/001,741

4. (Currently amended) An ink according to claim 1 composition which comprises water, a colorant, and a lightfastness agent of the formula




wherein $R_1, R_2, R_3, R_4, R_5, R_6, R_7, R_8, R_9,$ and R_{10} each, independently of the others, is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group, R_{11} and R_{12} each, independently of the others, is an alkylene group, an arylene group, an arylalkylene group, or an alkylarylene group, n is an integer representing the number of repeat $-\text{OSi}(R_7)(R_8)-$ monomer units, a is an integer representing the number of repeat $-\text{OSi}(R_{10})(R_{12}\text{-lightfastness moiety})-$ monomer units, and c is an integer representing the number of repeat $-\text{OSi}(R_9)(R_{11}\text{-hydrophilic moiety})-$ monomer units, wherein the lightfastness agent is of Formula I and the lightfastness moiety is of one of the formulae

Application No. 10/001,741








or





5. (Currently amended) An ink according to ~~claim 1~~ claim 22 wherein the lightfastness agent is of Formula II or Formula V and the lightfastness moiety is an anionic (hydroxyphenyl)benzotriazole, an anionic hydroxybenzophenone, an anionic hydroxybenzoic acid, an anionic alkoxybenzoic acid, an anionic ester of a substituted benzoic acid, or an anionic (hydroxyphenyl)-1,3,5 triazine.

Application No. 10/001,741


6. (Currently amended) An ink according to ~~claim 1~~
claim 22 wherein the lightfastness agent is of Formula II or Formula V
and the lightfastness moiety is of one of the formulae




Application No. 10/001,741




wherein R is an alkyl group,



wherein R is an alkyl group,




wherein R is an alkyl group,




wherein R is an alkyl group,

Application No. 10/001,741



or




wherein A is an anionic substituent.


7. (Original) An ink composition according to claim 6 wherein A is a carboxylate group, a moiety substituted with a carboxylate group, a sulfonate group, a moiety substituted with a sulfonate group, a phosphonate group, or a moiety substituted with a phosphonate group.

Application No. 10/001,741

8. (Currently amended) An ink according to ~~claim 1~~
claim 22 wherein the lightfastness agent is of Formula II or Formula V
and the lightfastness moiety is of one of the formulae



or







Application No. 10/001,741





9. (Currently amended) An ink according to ~~claim 1~~ claim 22 wherein the lightfastness agent is of Formula II or Formula V and the lightfastness moiety is 2-hydroxy-4-methoxybenzophenone-5-sulfonic acid; 2,2'-dihydroxy-4,4'-dimethoxybenzophenone-5-sulfonic acid; 2,3-dimethoxybenzoic acid; 3,4-dimethoxybenzoic acid; 3,5-dimethoxybenzoic acid; 2,5-dimethoxybenzoic acid; 2,6-dimethoxybenzoic acid; 3,4-dimethoxybenzenesulfonic acid; 3,4,5-trimethoxybenzoic acid; 2,4,5-trimethoxybenzoic acid; 4,5-dimethoxyphthalic acid; 2,3-bis-isopropylidenedioxybenzoic acid; 2,3-bis-(carboxymethyloxy)-benzoic acid; 2,5-dihydroxyphenylacetic acid; or mixtures thereof.

Application No. 10/001,741






10. (Currently amended) An ink according to ~~claim 7~~
claim 22 wherein the lightfastness agent is of Formula II or Formula V
 and the lightfastness moiety is of one of the formulae







Application No. 10/001,741



Application No. 10/001,741




Application No. 10/001,741



or

Application No. 10/001,741






Application No. 10/001,741





11. (Currently amended) An ink according to ~~claim 1~~ claim 22 wherein the lightfastness agent is of Formula III or Formula IV and the lightfastness moiety is a 2-(3-(2H-benzotriazol-2-yl)-4-hydroxyphenyl) quaternary compound, a hydroxybenzophenone quaternary compound, or a quaternary ammonium derivative of a dialkylaminobenzoate.

Application No. 10/001,741


12. (Currently amended) An ink according to ~~claim 1~~
claim 22 wherein the lightfastness agent is of Formula III or Formula IV
and the lightfastness moiety is of one of the formulae




Application No. 10/001,741



Application No. 10/001,743




or




wherein R_5 and R_6 each, independently of the other, is an alkyl group or an arylalkyl group, R_1 is an alkylene group, an arylalkylene group, or a polyalkyleneoxy group, and R_2 , R_3 , and R_4 each, independently of the others, is a hydrogen atom, an alkyl group, an aryl group, an arylalkyl group, an alkylaryl group, an alkoxy group, or a polyalkyleneoxy group.

Application No. 10/001,741

13. (Currently amended) An ink according to ~~claim 1~~
claim 22 wherein the lightfastness agent is of Formula III or Formula IV
and the lightfastness moiety is of one of the formulae



or



14. (Original) An ink according to claim 1 wherein the hydrophilic moiety is a polyoxyalkylene chain, a poly(2-alkyloxazoline), or a poly(ethylenimine) chain.

Application No. 10/001,741

15. (Original) An ink according to claim 1 wherein the hydrophilic moiety is a polyethylene oxide chain, a polypropylene oxide chain, a polybutylene oxide chain, or a copolymer of two or more of ethylene oxide, propylene oxide, and butylene oxide.

Application No. 10/001,741


16. (Original) An ink according to claim 1 wherein the hydrophilic moiety is (a) of one of the formulae




and



wherein x, independently in each single repeat alkylene oxide unit, is an integer of 2, 3, or 4 and n is an integer representing the number of repeat alkylene oxide units, (b) of the formula



wherein R is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group, and n is an integer representing the number of repeat monomer units, or (c) of the formula



wherein n is an integer representing the number of repeat monomer units.

Application No. 10/001,741




17. (Currently amended) An ink according to ~~claim 1~~ claim 22 wherein the lightfastness agent is poly(dimethylsiloxane-co-methyl (carboxyltrimethylsilylpentanoyl)siloxane)-graft-methoxypolyethylene glycol, poly(dimethylsiloxane-co-methyl(3-propyl(2-hydroxybenzophenone) siloxane)-graft-methoxypolyethylene glycol), Poly(dimethylsiloxane-co-methyl(2-(3-2H-benzotriazol-2-yl)-4-hydroxyphenyl)ethylpentanoate) siloxane)-graft-methoxypolyethylene glycol), the quaternary ammonium hydroxybenzotriazole salt of poly(dimethylsiloxane-co-methyl (carboxypentanoyl) siloxane)-graft-methoxypolyethylene glycol), the 2-hydroxy-4-methoxybenzophenone-5-sulfonate salt of poly(dimethylsiloxane-co-methyl(3-trimethylaminopropyl) siloxane), or a mixture thereof.

18. (Original) An ink according to claim 1 wherein the lightfastness agent is present in the ink in an amount of at least about 0.25 percent by weight of the ink, and wherein the lightfastness agent is present in the ink in an amount of no more than about 10 percent by weight of the ink.


Application No. 10/001,741

19. (Original) A process which comprises (a) incorporating into an ink jet printing apparatus an ink composition comprising water, a colorant, and a lightfastness agent of one of the formulae


Application No. 10/001,741



Application No. 10/001,741



or



Application No. 10/001,741



wherein R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_8 , R_9 , and R_{10} each, independently of the others, is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group, R_{11} and R_{12} each, independently of the others, is an alkylene group, an arylene group, an arylalkylene group, or an alkylarylene group, G is a cationic moiety, A is an anionic moiety, n is an integer representing the number of repeat $-\text{OSi}(R_7)(R_8)-$ monomer units, a is an integer representing the number of repeat $-\text{OSi}(R_{10})(R_{12}\text{-lightfastness moiety})-$ monomer units, and c is an integer representing the number of repeat $-\text{OSi}(R_9)(R_{11}\text{-hydrophilic moiety})-$ monomer units, and (b) causing droplets of the inks to be ejected in an imagewise pattern onto a recording substrate.

20. (Original) A process according to claim 19 wherein the printing apparatus employs a thermal ink jet process wherein the ink in the nozzles is selectively heated in an imagewise pattern, thereby causing droplets of the ink to be ejected in imagewise pattern.


21. (Original) A process according to claim 19 wherein the printing apparatus employs a piezoelectric ink jet process wherein droplets of the ink are caused to be ejected in imagewise pattern by oscillations of piezoelectric vibrating elements.

Application No. 10/001,741


22. (New) An ink composition which comprises water, a colorant, and a lightfastness agent of one of the formulae



Application No. 10/001,741



or



wherein R₁, R₂, R₃, R₄, R₅, R₆, R₇, R₈, R₉, and R₁₀ each, independently of the others, is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group. R₁₁ and R₁₂ each, independently of the others, is an alkylene group, an arylene group, an arylalkylene group, or an alkylarylene group. G is a cationic moiety, A is an anionic moiety, n is an integer representing the number of repeat -OSi(R₇)(R₈)- monomer units, a is an integer representing the number of repeat -OSi(R₁₀)(R₁₂-lightfastness moiety)- monomer units, and c is an integer representing the number of repeat -OSi(R₉)(R₁₁-hydrophilic moiety)- monomer units.

Application No. 10/001,741

23. (New) An ink according to claim 22 wherein the hydrophilic moiety is a polyoxyalkylene chain, a poly(2-alkyloxazoline), or a poly(ethyleneimine) chain.

24. (New) An ink according to claim 22 wherein the hydrophilic moiety is a polyethylene oxide chain, a polypropylene oxide chain, a polybutylene oxide chain, or a copolymer of two or more of ethylene oxide, propylene oxide, and butylene oxide.

Application No. 10/001,741


25. (New) An ink according to claim 1 wherein the hydrophilic moiety is (a) of one of the formulae




and



wherein x, independently in each single repeat alkylene oxide unit, is an integer of 2, 3, or 4 and n is an integer representing the number of repeat alkylene oxide units, (b) of the formula



wherein R is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group, and n is an integer representing the number of repeat monomer units, or (c) of the formula



wherein n is an integer representing the number of repeat monomer units.

Application No. 10/001,741

26. (New) An ink according to claim 22 wherein the lightfastness agent is present in the ink in an amount of at least about 0.25 percent by weight of the ink, and wherein the lightfastness agent is present in the ink in an amount of no more than about 10 percent by weight of the ink.


27. (New) A process which comprises (a) incorporating into an ink jet printing apparatus an ink composition according to claim 22, and (b) causing droplets of the inks to be ejected in an imagewise pattern onto a recording substrate.

28. (New) A process according to claim 27 wherein the printing apparatus employs a thermal ink jet process wherein the ink in the nozzles is selectively heated in an imagewise pattern, thereby causing droplets of the ink to be ejected in imagewise pattern.

29. (New) A process according to claim 27 wherein the printing apparatus employs a piezoelectric ink jet process wherein droplets of the ink are caused to be ejected in imagewise pattern by oscillations of piezoelectric vibrating elements.

Application No. 10/001,741






30. (New) An ink composition which comprises water, a colorant, and a lightfastness agent of one of the formula




wherein R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_8 , R_9 , and R_{10} each, independently of the others, is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group, R_{11} and R_{12} each, independently of the others, is an alkylene group, an arylene group, an arylalkylene group, or an alkylarylene group, n is an integer representing the number of repeat $-\text{OSi}(\text{R}_7)(\text{R}_8)-$ monomer units, a is an integer representing the number of repeat $-\text{OSi}(\text{R}_{10})(\text{R}_{12}\text{-lightfastness moiety})-$ monomer units, and c is an integer representing the number of repeat $-\text{OSi}(\text{R}_9)(\text{R}_{11}\text{-hydrophilic moiety})-$ monomer units, wherein the lightfastness moiety is a hydroxybenzophenone group, a hydroxybenzoic acid group, an alkoxybenzoic acid group, an ester of a substituted benzoic acid, a (hydroxyphenyl)-1,3,5-triazine group, a phenylbenzimidazole sulfonic acid group, or a reducing sugar group.

Application No. 10/001,741


31. (New) An ink according to claim 30 wherein the lightfastness moiety is of one of the formulae





Application No. 10/001,741






wherein R is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group,




wherein R₁ and R₂ each, independently of the other, is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group,



Application No. 10/001,741




or



Application No. 10/001,741


32. (New) An ink composition which comprises water, a colorant, and a lightfastness agent of one of the formula




wherein R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 , R_8 , R_9 , and R_{10} each, independently of the others, is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group, R_{11} and R_{12} each, independently of the others, is an alkylene group, an arylene group, an arylalkylene group, or an alkylarylene group, n is an Integer representing the number of repeat $-\text{OSi}(R_7)(R_8)-$ monomer units, a is an integer representing the number of repeat $-\text{OSi}(R_{10})(R_{12}\text{-lightfastness moiety})-$ monomer units, and c is an Integer representing the number of repeat $-\text{OSi}(R_9)(R_{11}\text{-hydrophilic moiety})-$ monomer units, wherein the hydrophilic moiety is a poly(2-alkyloxazoline) or a poly(ethyleneimine) chain.

Application No. 10/001,741

33. (New) An ink according to claim 32 wherein the hydrophilic moiety is (a) of the formula



wherein R is an alkyl group, an aryl group, an arylalkyl group, or an alkylaryl group, and n is an integer representing the number of repeat monomer units, or (b) of the formula



wherein n is an integer representing the number of repeat monomer units.